

# Material Safety Data Sheet

Revision Date: 21.09.2005

(91/155/EWG)

Page 1 of 3

1300-24-02

## 1. Chemical product and company identification

**Product name:**

Luxatemp (-Automix, -Solar, -Fluorescence)

**Supplier:**

DMG, Dental-Material Gesellschaft mbH

D 22531 Hamburg, telephone : (+49) 040 - 84 00 60

Emergency contact: Infotrac - (800)535-5053

## 2. Composition / Information on ingredients

**Common chemical name / Generic name:**

Preparation of acrylic resin, glass powder and silica.

Contains urethane dimethacrylate, aromatic dimethacrylate, glycol methacrylate.

## 3. Hazards Identification

None, if handled according to directions.

Irritating to eyes, respiratory system and skin.

## 4. First-aid measures

**In case of inhalation:** In case of prolonged exposure take patient to open air.

**In case of skin contact:** Wash with soap and water.

**In case of eye contact :** Immediately rinse with plenty of water, consult a physician.

**In case of ingestion:** Immediately seek medical advice.

## 5. Fire-fighting measures

**Extinguishing media:** Powder, sand, foam, carbon dioxide, water spray.

**Not suitable extinguishing media:** Direct jet of water.

## 6. Accidental release measures

**Personal precautions:** Use only in well-ventilated areas.

**Environmental precautions:** Avoid pollution of water and sewage.

**Methods for cleaning up:** Take up mechanically, with inert fluid-binding material.

## 7. Handling and storage

**Handling:**

**Technical measures:** Keep container tightly closed.

**Safe handling advice:** Wear suitable gloves. Avoid contact with eyes.

**Storage:**

**Technical measures:** Keep container in a well-ventilated place.

**Storage conditions:** Keep container tightly closed. Keep in a dark, cool place.

**Recommended packaging material:** Container of solvent-stable plastics.

# Material Safety Data Sheet

Revision date: 21.09.2005

Trade name: Luxatemp (-Automix, -Solar, -Fluorescence)

Page 2 of 3

1300-24-02

## 8. Exposure controls/personal protection

**Engineering measures:** Use only in well-ventilated areas.

**Personal protective equipment:**

**Respiratory protection:** Do not breathe vapour.

**Hand and skin protection:** Rubber gloves.

**Eye protection:** Goggles.

**Hygiene measures:** When using do not eat or drink.

## 9. Physical und chemical properties

**Appearance:** Yellowish viscous liquid.

**Odour:** Esterlike, weak.

**pH-value:** ca. 7.0

**Changes in physical state:**

**Boiling temperature:** > 250 °C

**Decomposition temperature:** > 200 °C

**Flashpoint:** > 150 °C

**Ignition temperature:** > 380 °C

**Explosion properties:** not applicable.

**Vapour pressure:** < 1 mbar/ 20 °C

**rel. vapour density:** > 1

**Density:** ca. 1.5 g/cm<sup>3</sup>

**Solubility in water:** ca. 1 %

## 10. Stability and reactivity

**Thermal decomposition:** at ca. 200 °C

No decomposition, if handled and stored according to directions.

**Hazardous reactions:** None, if handled and stored according to directions.

**Conditions to avoid:** Heat, light.

**Materials to avoid:** Free radicals, reducing agents, heavy metal ions..

**Hazardous decomposition products:** In case of fire acrid acrylic fumes.

Cures on exposure to free radicals or UV-light.

## 11. Toxicological information

**Acute oral toxicity:** LD<sub>50</sub> (Ratte) > 5000 mg/kg.

**Irritation of skin :** Irritating on prolonged exposure.

**Irritation of eye:** Irritating on prolonged exposure.

**Specific effects:** Allergic reactions to methacrylates are possible.

## 12. Ecological information

Do not discharge into drains or the environment.

**Persistence und degradability:** No data available for the preparation.

Well disposable, for components up to 9 %.

**Ecotoxicity:** Fish toxicity LC<sub>50</sub> > 360 mg/l / 48 h (for water-soluble components).

# Material Safety Data Sheet

Revision date: 21.09.2005

Trade name: Luxatemp (-Automix, -Solar, -Fluorescence)  
1300-24-02

Page 3 of 3

## 13. Disposal considerations

**Waste from residues:** Use proper landfill disposal or incineration in accordance with local, state and federal regulations.

## 14. Transport information

**Additional information:** Not dangerous cargo.

## 15. Regulatory information

**Labelling according to international regulations:** Xi, irritant. Contains methacrylic ester.

**Symbols of danger:** St Andrew's cross.

**R-Phrases:** 36/37/38

Irritating to eyes, respiratory system and skin.

**S-Phrases:** 26 - 28

In case of contact with eyes rinse immediately with plenty of water and seek medical advice.

After contact with skin wash immediately with plenty of water and soap.

## 16. Other information

None

The data given here is based on current knowledge and experience. The data does not signify any warranty with regard to the product's properties.