according to Regulation (EC) No 1907/2006

Revision date: 12.10.2023

Product code: G000002

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Ecosite Elements Layer\_all shades

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

### 1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische F	DMG Chemisch-Pharmazeutische Fabrik GmbH		
Street:	Elbgaustraße 248			
Place:	D-22547 Hamburg			
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222		
e-mail:	info@dmg-dental.com			
Internet:	www.dmg-dental.com			

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### Regulation (EC) No 1272/2008

#### Hazard components for labelling

Propoxylated neopentylglycol diacrylate 7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)

Signal word:

Warning

**Pictograms:** 

H3<sup>-</sup> H4<sup>-</sup>



#### **Hazard statements**

17	May cause an allergic skin reaction.
12	Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

#### Special labelling of certain mixtures

Contains 1 - < 5 % of components with unknown hazards to the aquatic environment.

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

according to Regulation (EC) No 1907/2006

## Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 2 of 11

### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
41637-38-1	ethoxylated bisphenol A dimethacry	ethoxylated bisphenol A dimethacrylate				
	609-946-4		01-2119980659-17			
	Aquatic Chronic 4; H413					
84170-74-1	Propoxylated neopentylglycol diacrylate			1 - < 5 %		
	617-546-6		01-2119970213-43			
	Skin Sens. 1B, Aquatic Chronic 2; I					
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)			1 - < 5 %		
	276-957-5		01-2120751202-68			
	Skin Sens. 1B, Aquatic Chronic 2; I					
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate		propenoate	< 0.1 %		
	201-297-1	607-035-00-6	01-2119452498-28			
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc	. Limits, M-factors and ATE		
41637-38-1	609-946-4	ethoxylated bisphenol A dimethacrylate	5 - < 10 %	
	dermal: LD50	) = >2000 mg/kg; oral: LD50 = >2000 mg/kg		
84170-74-1	617-546-6	Propoxylated neopentylglycol diacrylate	1 - < 5 %	
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg			
72869-86-4	276-957-5	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	1 - < 5 %	
	oral: LD50 =	>5000 mg/kg		
80-62-6	201-297-1	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	< 0.1 %	
	inhalation: L0 mg/kg	50 = 29,8 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000		

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No 1907/2006

# Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 3 of 11

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

according to Regulation (EC) No 1907/2006

# Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 4 of 11

# 8.1. Control parameters

# **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
80-62-6	Methyl methacrylate	50	-	- TWA (8 h)		
		100	-		STEL (15 min)	
1309-37-1	Rouge, respirable dust	-	4		TWA (8 h)	
13463-67-7	Titanium dioxide, total inhalable dust	-	10		TWA (8 h)	

# **DNEL/DMEL** values

CAS No	Substance						
DNEL type Exposure route Effect Value							
41637-38-1	ethoxylated bisphenol A dimethacrylate						
Worker DNEL	Worker DNEL, long-term inhalation systemic 3,52 mg/m <sup>3</sup>						
Worker DNEL	long-term	dermal	systemic	2 mg/kg bw/day			
84170-74-1	Propoxylated neopentylglycol diacrylate						
Worker DNEL	long-term	inhalation	systemic	32,9 mg/m³			
Worker DNEL	long-term	dermal	systemic	46,7 mg/kg bw/day			
72869-86-4 7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)							
Worker DNEL	long-term	inhalation	systemic	3,3 mg/m³			
Worker DNEL	long-term	dermal	systemic	1,3 mg/kg bw/day			
13463-67-7	titanium dioxide						
Worker DNEL	long-term	inhalation	local	10 mg/m³			
128-37-0	2,6-Di-tert-butyl-4-methylphenol						
Worker DNEL	long-term	inhalation	systemic	3,5 mg/m³			
Worker DNEL	long-term	dermal	systemic	0,5 mg/kg bw/day			
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate						
Worker DNEL	long-term	inhalation	systemic	208 mg/m³			
Worker DNEL	long-term	dermal	systemic	13,7 mg/kg bw/day			
Worker DNEL	acute	dermal	local	1,5 mg/cm <sup>2</sup>			

according to Regulation (EC) No 1907/2006

# Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 5 of 11

#### **PNEC** values

CAS No	Substance	
Environmental	compartment	Value
84170-74-1	Propoxylated neopentylglycol diacrylate	
Freshwater	•	0,0027 mg/l
Freshwater (in	ermittent releases)	0,027 mg/l
Marine water		0,00027 mg/l
Freshwater se	liment	0,064 mg/kg
Marine sedime	nt	0,0064 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	0,1 mg/l
Soil		0,011 mg/kg
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimetrisomers)	nacrylate (mixture of
Freshwater		0,01 mg/l
Marine water		0,001 mg/l
Freshwater se	liment	4,56 mg/kg
Marine sedime	nt	0,456 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	3,61 mg/l
Soil		0,91 mg/kg
13463-67-7	titanium dioxide	
Freshwater		0,127 mg/l
Freshwater (in	ermittent releases)	0,61 mg/l
Marine water		1 mg/l
Freshwater se	liment	1000 mg/kg
Marine sedime	nt	100 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	100 mg/l
Soil		100 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Freshwater		0,000199 mg/l
Freshwater (in	ermittent releases)	0,00199 mg/l
Marine water		0,000199 mg/l
Freshwater se	liment	0,0996 mg/kg
Marine sedime	nt	0,00996 mg/kg
Soil		0,04769 mg/kg
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	
Freshwater		0,94 mg/l
Marine water		0,094 mg/l
Freshwater sediment 10,2 mg/k		
Marine sediment 10,2 mg/l		
Micro-organisms in sewage treatment plants (STP) 10 mg/l		
Soil		1,48 mg/kg

# 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 6 of 11



### Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che	mical properties
Physical state:	Paste
Colour:	beige
Odour:	characteristic
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	not determined
boiling range:	
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Water solubility:	The study does not need to be conducted
	because the substance is known to be
	insoluble in water.
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	not determined
Relative vapour density:	not determined
9.2. Other information	
Information with regard to physical haz	ard classes
Explosive properties	
The product is not: Explosive.	
Oxidizing properties	
The product is not: oxidising.	
Other safety characteristics	
Evaporation rate:	not determined
1	

according to Regulation (EC) No 1907/2006

Revision date: 12.10.2023

Product code: G000002

Page 7 of 11

Solid content:

not determined

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
41637-38-1	ethoxylated bisphenol A dimethacrylate					
	oral	LD50 mg/kg	>2000	Rat	ECHA	OECD 423
	dermal	LD50 mg/kg	>2000	Rat	ECHA	OECD 402
84170-74-1	Propoxylated neopentyle	lycol diacryla	ate			
	oral	LD50 mg/kg	>5000	Rat	supplier SDS	OECD 401
	dermal	LD50 mg/kg	>2000	Rat	supplier SDS	OECD 402
72869-86-4	7,7,9-(resp. 7,9,9-)Trime isomers)	thyl-4,13-dio>	ko-3,14-diox	a-5,12-diaza-hexadecane	-1,16-diol dimethacrylate (	mixture of
	oral	LD50 mg/kg	>5000	Rat	supplier SDS	OECD 401
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate					
	oral	LD50 mg/kg	>5000	Rat	supplier SDS	
	dermal	LD50 mg/kg	>5000	Rabbit	supplier SDS	
	inhalation (4 h) vapour	LC50	29,8 mg/l	Rat	supplier SDS	

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 8 of 11

### Sensitising effects

May cause an allergic skin reaction. (Propoxylated neopentylglycol diacrylate; 7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers); methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
41637-38-1	ethoxylated bisphenol A dimethacrylate							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)	supplier SDS		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	supplier SDS		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	supplier SDS		
84170-74-1	Propoxylated neopentylglycol diacrylate							
	Acute fish toxicity	LC50	2,7 mg/l	96 h	Danio rerio (zebrafish)	supplier SDS	OECD 203	
	Acute algae toxicity	ErC50	11 mg/l	72 h	Pseudokirchneriella subcapitata	supplier SDS	OECD 201	
	Acute crustacea toxicity	EC50	37 mg/l	48 h	Daphnia magna (Big water flea)	supplier SDS	OECD 202	
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate							
	Acute fish toxicity	LC50 mg/l	>100	96 h		supplier SDS	OECD 203	
	Acute algae toxicity	ErC50	110 mg/l	72 h	Selenastrum capricornutum	ECHA		
	Fish toxicity	NOEC	9,4 mg/l			supplier SDS	OECD 210	
	Algae toxicity	NOEC mg/l	>110		Selenastrum capricornutum	supplier SDS	OECD 201	
	Crustacea toxicity	NOEC	37 mg/l		Daphnia magna (Big water flea)	supplier SDS	OECD 202	

# 12.2. Persistence and degradability

The product has not been tested.

### according to Regulation (EC) No 1907/2006

### Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 9 of 11

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-	-	-		
41637-38-1	ethoxylated bisphenol A dimethacrylate					
	OECD 301D	24%	28			
	Not readily biodegradable (according to OECD criteria)					
84170-74-1	Propoxylated neopentylglycol diacrylate					
	OECD 301D	41%	28			
	Not readily biodegradable (according to OECD criteria)	-		-		
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)					
	OECD 301F	22%	28			
	Not readily biodegradable (according to OECD criteria)					
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate					
	OECD 301C	94%	14			
	Readily biodegradable (according to OECD criteria).					

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
41637-38-1	ethoxylated bisphenol A dimethacrylate	5,62
84170-74-1	Propoxylated neopentylglycol diacrylate	1 - 4,86
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	3,39
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	1,38

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

according to Regulation (EC) No 1907/2006

Ecosite	<b>Elements</b>	Laver	all	shades
LOODICO		Luyoi_	<b>u</b> 11	JIIGGOS

Revision date: 12.10.2023

Product code: G000002

Page 10 of 11

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Not subject to 2012/18/EU (SEVESO III)
Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
1 - slightly hazardous to water
Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50%, growth rate

according to Regulation (EC) No 1907/2006

## Ecosite Elements Layer\_all shades

Revision date: 12.10.2023

Product code: G000002

Page 11 of 11

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)