according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Ecosite Elements Highlight Opaque A2 White

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

# 1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

### Hazard components for labelling

7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)

Triethylene glycol dimethacrylate 1,12-Dodecane Dimethacrylate

Signal word: Warning

#### Pictograms:



# **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

P280 Wear protective gloves and eye/face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 2 of 13

## Special labelling of certain mixtures

10 - < 15 % of the mixture consists of ingredient(s) of unknown acute toxicity (dermal). 10 - < 15 % of the mixture consists of ingredient(s) of unknown acute toxicity (inhalation). Contains 5 - < 10 % of components with unknown hazards to the aquatic environment.

#### 2.3. Other hazards

No information available.

Chamical

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
13760-80-0	Ytterbium fluoride			10 - < 15 %
	237-354-2		01-2120754122-65	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3	3; H315 H319 H335		
41637-38-1	ethoxylated bisphenol A dimethacry	ylate		10 - < 15 %
	609-946-4		01-2119980659-17	
	Aquatic Chronic 4; H413			
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-c dimethacrylate (mixture of isomers	5 - < 10 %		
	276-957-5		01-2120751202-68	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
109-16-0	Triethylene glycol dimethacrylate	5 - < 10 %		
	203-652-6		01-2119969287-21	
	Skin Sens. 1B; H317			
21245-02-3	2-Ethylhexyl 4-(dimethylamino)ben	< 1 %		
	244-289-3		01-2120766649-35	
	Repr. 1B; H360			
72829-09-5	1,12-Dodecane Dimethacrylate	< 1 %		
	276-900-4		01-2120756306-53	
	Skin Sens. 1B, Aquatic Acute 1, Ac	quatic Chronic 1; H317 H400	H410	
80-62-6	methyl methacrylate; methyl 2-met	< 0.1 %		
	201-297-1	607-035-00-6	01-2119452498-28	
	Flam. Liq. 2, Skin Irrit. 2, Skin Sens	s. 1, STOT SE 3; H225 H31	6 H317 H335	

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
13760-80-0	237-354-2	Ytterbium fluoride	10 - < 15 %
	oral: LD50 = >	>2000 mg/kg	
41637-38-1	609-946-4	ethoxylated bisphenol A dimethacrylate	10 - < 15 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	
72869-86-4	276-957-5	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	5 - < 10 %
	oral: LD50 = >	>5000 mg/kg	
109-16-0	203-652-6	Triethylene glycol dimethacrylate	5 - < 10 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >5000 mg/kg	
21245-02-3	244-289-3	2-Ethylhexyl 4-(dimethylamino)benzoate	< 1 %
	oral: LD50 = 1	14900 mg/kg	
72829-09-5	276-900-4	1,12-Dodecane Dimethacrylate	< 1 %
		>2000 mg/kg Aquatic Acute 1; H400: M=10 ic 1; H410: M=1	
80-62-6	201-297-1	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	< 0.1 %
	inhalation: LC mg/kg	50 = 29,8 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000	

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 4 of 13

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
80-62-6	Methyl methacrylate	50	-		TWA (8 h)	
		100	-		STEL (15 min)	
1309-37-1	Rouge, respirable dust	-	4		TWA (8 h)	
13463-67-7	Titanium dioxide, total inhalable dust	-	10		TWA (8 h)	

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 5 of 13

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
41637-38-1	ethoxylated bisphenol A dimethacrylate			
Worker DNEL	_, long-term	inhalation	systemic	3,52 mg/m³
Worker DNEI	_, long-term	dermal	systemic	2 mg/kg bw/day
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxiisomers)	a-5,12-diaza-hexadecane-1,1	6-diol dimethacrylat	e (mixture of
Worker DNEL	_, long-term	inhalation	systemic	3,3 mg/m³
Worker DNEL	_, long-term	dermal	systemic	1,3 mg/kg bw/day
109-16-0	Triethylene glycol dimethacrylate			
Worker DNEL	_, long-term	inhalation	systemic	48,5 mg/m³
Worker DNEI	_, long-term	dermal	systemic	13,9 mg/kg bw/day
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoa	te; methyl 2-methylpropenoat	te	
Worker DNEL	_, long-term	inhalation	systemic	208 mg/m <sup>3</sup>
Worker DNEI	_, long-term	dermal	systemic	13,7 mg/kg bw/day
Worker DNEL	_, acute	dermal	local	1,5 mg/cm <sup>2</sup>
13463-67-7	titanium dioxide			
Worker DNEl	_, long-term	inhalation	local	10 mg/m³
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEl	_, long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL	_, long-term	dermal	systemic	0,5 mg/kg bw/day

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 6 of 13

## **PNEC values**

CAS No	Substance	
Environment	tal compartment	Value
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecar isomers)	ne-1,16-diol dimethacrylate (mixture of
Freshwater		0,01 mg/l
Marine wate	ır	0,001 mg/l
Freshwater	sediment	4,56 mg/kg
Marine sedir	ment	0,456 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	3,61 mg/l
Soil		0,91 mg/kg
109-16-0	Triethylene glycol dimethacrylate	
Freshwater		0,164 mg/l
Marine wate	r	0,0164 mg/l
Freshwater	sediment	1,85 mg/kg
Marine sedir	ment	0,185 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l
Soil		0,274 mg/kg
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylprop	penoate
Freshwater		0,94 mg/l
Marine wate	ır	0,094 mg/l
Freshwater s	sediment	10,2 mg/kg
Marine sedir	ment	10,2 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	10 mg/l
Soil		1,48 mg/kg
13463-67-7	titanium dioxide	<u> </u>
Freshwater		0,127 mg/l
Freshwater (	(intermittent releases)	0,61 mg/l
Marine wate	ır	1 mg/l
Freshwater	sediment	1000 mg/kg
Marine sedir	ment	100 mg/kg
Micro-organi	isms in sewage treatment plants (STP)	100 mg/l
Soil		100 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	·
Freshwater		0,000199 mg/l
Freshwater (	(intermittent releases)	0,00199 mg/l
Marine wate	er	0,000199 mg/l
Freshwater	sediment	0,0996 mg/kg
Marine sedir	ment	0,00996 mg/kg
Soil		0,04769 mg/kg

# 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Product code: G000005 Page 7 of 13 Revision date: 12.10.2023





### Individual protection measures, such as personal protective equipment

#### Eve/face protection

Tightly sealed safety glasses.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: off-white / beige characteristic Odour:

not determined Melting point/freezing point: Boiling point or initial boiling point and not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: not applicable Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined not determined Vapour pressure: Density: not determined Relative vapour density: not determined

# 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 8 of 13

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 9 of 13

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
13760-80-0	Ytterbium fluoride						
	oral	LD50 mg/kg	>2000	Rat	ECHA		
41637-38-1	ethoxylated bisphenol A	dimethacrylat	te				
	oral	LD50 mg/kg	>2000	Rat	ECHA	OECD 423	
	dermal	LD50 mg/kg	>2000	Rat	ECHA	OECD 402	
72869-86-4	7,7,9-(resp. 7,9,9-)Trime isomers)	thyl-4,13-diox	(o-3,14-diox	a-5,12-diaza-hexadecane-	1,16-diol dimethacrylate (	mixture of	
	oral	LD50 mg/kg	>5000	Rat	supplier SDS	OECD 401	
109-16-0	Triethylene glycol dimethacrylate						
	oral	LD50 mg/kg	>5000	Rat	supplier SDS		
	dermal	LD50 mg/kg	>2000	Mouse	supplier SDS		
21245-02-3	2-Ethylhexyl 4-(dimethyla	amino)benzoa	ate				
	oral	LD50 mg/kg	14900	Rat	ECHA	OECD 401	
72829-09-5	1,12-Dodecane Dimetha	crylate					
	oral	LD50 mg/kg	>2000	Rat	supplier SDS/ ECHA		
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate						
	oral	LD50 mg/kg	>5000	Rat	supplier SDS		
	dermal	LD50 mg/kg	>5000	Rabbit	supplier SDS		
	inhalation (4 h) vapour	LC50	29,8 mg/l	Rat	supplier SDS		

# Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

May cause an allergic skin reaction. (7,7,9-(resp.

 $7,9,9-) Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol\ dimethacrylate\ (mixture\ of\ isomers);$ 

Triethylene glycol dimethacrylate; 1,12-Dodecane Dimethacrylate; methyl methacrylate; methyl

2-methylprop-2-enoate; methyl 2-methylpropenoate)

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 10 of 13

## **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
41637-38-1	ethoxylated bisphenol A	A dimethacryla	ate				
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)	supplier SDS	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	supplier SDS	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	supplier SDS	
109-16-0	Triethylene glycol dimet	thacrylate					
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Pseudokirchneriella subcapitata		OECD 201
	Crustacea toxicity	NOEC	32 mg/l	21 d	Daphnia magna (Big water flea)		
72829-09-5	1,12-Dodecane Dimethacrylate						
	Acute algae toxicity	ErC50 mg/l	0,017	72 h	Pseudokirchneriella subcapitata	supplier SDS/ ECHA	
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna (Big water flea)	supplier SDS/ ECHA	
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate						
	Acute fish toxicity	LC50 mg/l	>100	96 h		supplier SDS	OECD 203
	Acute algae toxicity	ErC50	110 mg/l	72 h	Selenastrum capricornutum	ECHA	
	Fish toxicity	NOEC	9,4 mg/l			supplier SDS	OECD 210
	Algae toxicity	NOEC mg/l	>110		Selenastrum capricornutum	supplier SDS	OECD 201
	Crustacea toxicity	NOEC	37 mg/l		Daphnia magna (Big water flea)	supplier SDS	OECD 202

# 12.2. Persistence and degradability

The product has not been tested.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 11 of 13

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
41637-38-1	ethoxylated bisphenol A dimethacrylate						
	OECD 301D	24%	28				
	Not readily biodegradable (according to OECD criteria)						
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)						
	OECD 301F	22%	28				
	Not readily biodegradable (according to OECD criteria)						
109-16-0	Triethylene glycol dimethacrylate						
	OECD 301B	85%					
	Readily biodegradable (according to OECD criteria).						
72829-09-5	1,12-Dodecane Dimethacrylate						
	OECD 301B	97,3%	28				
	Easily biodegradable (concerning to the criteria of the O	ECD)	-	•			
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate						
	OECD 301C	94%	14				
	Readily biodegradable (according to OECD criteria).						

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
41637-38-1	ethoxylated bisphenol A dimethacrylate	5,62
72869-86-4	7,7,9-(resp. 7,9,9-)Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diaza-hexadecane-1,16-diol dimethacrylate (mixture of isomers)	3,39
109-16-0	Triethylene glycol dimethacrylate	2,3
21245-02-3	2-Ethylhexyl 4-(dimethylamino)benzoate	6,2
72829-09-5	1,12-Dodecane Dimethacrylate	6,5
80-62-6	methyl methacrylate; methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate	1,38

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 12 of 13

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

according to Regulation (EC) No 1907/2006

# **Ecosite Elements Highlight\_Opaque A2 White**

Revision date: 12.10.2023 Product code: G000005 Page 13 of 13

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)